



Size		TMC Code		Outside Diameter	Wall Thickness	Test Pressure (Bar)(Min.)	
					SCH40S		
		304/304L	316/316L	(mm)	(mm)	304/316	304L/316L
3/8"	10NB	/	SP610S40	17.15	2.31	276	229
1/2"	15NB	SP415S40	SP615S40	21.34	2.77	266	221
3/4"	20NB	SP420S40	SP620S40	26.67	2.87	221	183
1"	25NB	SP425S40	SP625S40	33.4	3.38	207	172
1 1/4"	32NB	SP432S40	SP632S40	42.16	3.56	173	143
1 1/2"	40NB	SP440S40	SP640S40	48.26	3.68	156	130
2"	50NB	SP450S40	SP650S40	60.33	3.91	133	110
2 1/2"	65NB	SP465S40	SP665S40	73.03	5.16	145	120
3"	80NB	SP480S40	SP680S40	88.9	5.75	127	105
4"	100NB	SP4100S40	SP6100S40	114.3	6.02	108	90
5"	125NB	SP4125S40	SP6125S40	141.3	6.55	95	79
6"	150NB	SP4150S40	SP6150S40	168.23	7.11	87	72
8"	200NB	SP4200S40	SP6200S40	219.08	8.18	77	63
10"	250NB	SP4250S40	SP6250S40	273.05	9.27	70	58
12"	300NB	SP4300S40	SP6300S40	323.85	9.53	60	50
14"	350NB	/	/	355.6	9.53	55	46
16"	400NB	/	/	406.8	9.53	48	40